Boebinger, G.S., Y. Guldner, J.P. Vieren, M. Voos and J.P. Faurie, Two-dimensional electron gas in HgCdTe/CdTe heterostructures 196 (1988) 669
Borroff, R., R. Merlin, R.L. Greene and J. Comas, Observation of coupled quasi-two-dimensional electronic excitations in tilted magnetic fields 196 (1988) 626
Boxleitner, W., see Lassnig 196 (1988) 367
Brum, J.A., J. Orgonasi, G. Bastard, C. Delalande, M. Voos, G. Weimann and W. Schlapp, Optical properties of one-side modulation-doped quantum wells 196 (1988) 512
Brum, J.A., P. Voisin, M. Voos, L.L. Chang and L. Esaki, Oscillator strengths of interband magneto-optical transitions in strained-layer heterostructures 196 (1988) 545
Brummell, M.A., D.R. Leadley, R.J. Nicholas, J.J. Harris and C.T. Foxon, Competition between LO and TO phonon scattering in GaAs/GaAlAs heterojunctions 196 (1988) 451
Bryant, G.W., Excitons in quantum boxes 196 (1988) 596
Buchanan, M., see D'Iorio 196 (1988) 165
Butcher, P.N. and J.A. McInnes, Numerical and percolation studies of Ohmic variable-range hopping in 1D 196 (1988) 139

Cabrera, G.G., see Gummich 196 (1988) 643
Calleja, J.M., C. López, C. Tejedor, L. Viña, E.E. Méndez, W.I. Wang, M. Staines and M. Cardona, Study of electric field effects on the electronic structure of quantum wells by resonant Raman scattering 196 (1988) 578
Cardona, M., see Calleja 196 (1988) 578
Carter, P.J.A., see Kent 196 (1988) 410
Challis, L.J., see Kent 196 (1988) 410
Chamberlain, J.M., see Rikken 196 (1988) 303
Chamberlain, M.P., see Babiker 196 (1988) 422
Chang, A.M., G. Timp, T.Y. Chang, J.E. Cunningham, B. Chelluri, P.M. Mankiewich, R.E. Behringer and R.E. Howard, Magneto-quantum transport in a quasi-one-dimensional GaAs/$Al_xGa_{1-x}As$ ring 196 (1988) 46
Chang, A.M., see Timp 196 (1988) 68
Chang, L.L., see Smith III 196 (1988) 287
Chang, L.L., see Brum 196 (1988) 545
Chang, L.L., see Awschalom 196 (1988) 649
Chang, L.L., see Smith III 196 (1988) 687
Chang, T.Y., see Chang 196 (1988) 46
Chaplik, A.V. and A.O. Govorov, Nonequilibrium charge spreading in two-dimensional electron systems 196 (1988) 719
Chelluri, B., see Chang 196 (1988) 46
Chemla, D.S., see Zucker 196 (1988) 563
Cheng, J.-P., N.C. Jarosik, B.D. McCombe and K.C. Woo, Cyclotron resonance of electrons in Si n-inversion layers at low densities: many-body effects or localization? 196 (1988) 268
Chitta, V.A., see Marques 196 (1988) 659
Chmielowski, M., M. Gliński, W.H. Zhuang, G.B. Liang, D.Z. Sun, M.Y. Kong, W. Plesiewicz, T. Dietl and T. Skośkiewicz, Fundamental high-field transport properties of a GaAs/AlGaAs modulation doped heterostructure 196 (1988) 299
Chou, M.J., D.C. Tsui and G. Weimann, Cyclotron resonance in the extreme quantum limit 196 (1988) 279

Christanell, R., see Gornik 196 (1988) 339
Clark, R.G., J.R. Mallett, A. Usher, A.M. Suckling, R.J. Nicholas, S.R. Haynes, Y. Journaux, J.J. Harris and C.T. Foxon, Experimental tests of fractional quantum Hall effect theory 196 (1988) 219
Comas, J., see Borroff 196 (1988) 626
Craighead, H.G., see Roukes 196 (1988) 79
Cunningham, J.E., see Chang 196 (1988) 46
Cunningham, J.E., see Timp 196 (1988) 68

Da Cunha Lima, I.C., see De Andrada e Silva 196 (1988) 352
Dabiran, A.M., R.T. Zeller, F.F. Fang, S.L. Wright and P.J. Stiles, Electrochemical potential oscillations of the two-dimensional electron gas in GaAs/AlGaAs heterostructures in high magnetic fields 196 (1988) 712
Dahm, A.J., see Jiang 196 (1988) 1
Damen, T.C., see Deveaud 196 (1988) 386
Das Sarma, S., see Xie 196 (1988) 89
Das Sarma, S., see Jain 196 (1988) 466
De Andrada e Silva, E.A., I.C. da Cunha Lima, A. Ferreira da Silva and C.E. Leal, Density of states of electrons bound to impurities in quantum wells of GaAlAs/GaAs 196 (1988) 352
Degani, M.H. and O. Hipólito, Electron–interface-phonon interaction in GaAs/AlAs and InAs/GaSb heterojunctions 196 (1988) 459
Degani, M.H., see Marques 196 (1988) 659
Delalande, C., see Brum 196 (1988) 512
Deveaud, B., J. Shah, T.C. Damen, A. Regreny and B. Lambert, Determination of carrier mobility for Bloch transport in superlattice minibands 196 (1988) 386
DeVegvar, P., see Timp 196 (1988) 68
Devreese, J.T., see Peeters 196 (1988) 437
Dietl, T., see Chmielowski 196 (1988) 299
D'Iorio, M., A.S. Sachrajda, D. Landheer, M. Buchanan, T. Moore, C.J. Miner and A.J. Springthorpe, Narrow channel breakdown in GaAs/AlGaAs heterostructures 196 (1988) 165
Drew, H.D., see Smith III 196 (1988) 287

Eaves, L., see Taylor 196 (1988) 52
Eaves, L., see Payling 196 (1988) 404
Egeler, T., see Abstreiter 196 (1988) 613
Eisenstein, J.P., see Gammel 196 (1988) 417
Eisenstein, J.P., A.C. Gossard and V. Narayanamurti, Thermal conductance magneto-oscillations and electron–phonon coupling in GaAs/AlGaAs heterostructures 196 (1988) 445
Eliasson, G., see Hawrylak 196 (1988) 482
English, J.H., see Goldberg 196 (1988) 209
English, J.H., see Willett 196 (1988) 257
English, J.H., see Gammel 196 (1988) 417
Ensslin, K., D. Heitmann, H. Sigg and K. Ploog, Effects of the filling factor on the cyclotron resonance in gated AlGaAs/GaAs heterostructures 196 (1988) 263
Eric Yang, S.-R. and L.J. Sham, Theory of magneto-excitons in quantum wells 196 (1988) 533
Esaki, L., see Brum 196 (1988) 545
Esaki, L., see Smith III 196 (1988) 687

Fang, F.F., see Smith III 196 (1988) 287
Fang, F.F., T.P. Smith III and S.L. Wright, Landau-level broadening and scattering time in modulation doped GaAs/AlGaAs heterostructures 196 (1988) 310
Fang, F.F., see Smith III 196 (1988) 687
Fang, F.F., see Dabiran 196 (1988) 712
Faurie, J.P., see Woo 196 (1988) 665
Faurie, J.P., see Boebinger 196 (1988) 669
Ferreira da Silva, A., see De Andrada e Silva 196 (1988) 352
Forchel, A., see Tränkle 196 (1988) 584
Foster, T.J., see Payling 196 (1988) 404
Fowler, A.B., see Wainer 196 (1988) 134
Foxon, C.T., see Clark 196 (1988) 219
Foxon, C.T., see Singleton 196 (1988) 429
Foxon, C.T., see Brummell 196 (1988) 451
Frank, D.J., see Laux 196 (1988) 101
Furneaux, J.E., see Syphers 196 (1988) 252

Gammel, P.L., D.J. Bishop, J.P. Eisenstein, R.P. Hall, H.L. Stormer, A.C. Gossard and J.H. English, Quantum oscillations in a mechanical resonator containing a two-dimensional electron system 196 (1988) 417
Gammon, D., E. Glaser, B.V. Shanabrook and D. Musser, A spectroscopic study of screening effects in a quasi-two-dimensional system 196 (1988) 359
Ghazali, A., A. Gold and J. Serre, Impurity bands and band tails in accumulation and inversion layers 196 (1988) 346
Ghosal, A., see Babiker 196 (1988) 422
Giannetta, R., see Wilen 196 (1988) 24
Giuliani, G.F., Plasmon mechanism for superconductivity in semiconducting heterostructures: the effect of acoustic plasmons 196 (1988) 476
Glaser, E., see Gammon 196 (1988) 359
Glattli, D.C., E.Y. Andrei and F.I.B. Williams, Specific and latent heat of the 2D electron solid 196 (1988) 17
Glattli, D.C., see Andrei 196 (1988) 501
Gliński, M., see Chmielowski 196 (1988) 299
Gold, A., see Ghazali 196 (1988) 346
Goldberg, B.B., D. Heiman, A. Pinczuk, C.W. Tu, A.C. Gossard and J.H. English, Magneto-optics of the fractional quantum Hall effect 196 (1988) 209
Goldberg, B.B., D. Heiman, A. Pinczuk and A.C. Gossard, Inelastic light scattering of valence subband transitions in GaAs/GaAlAs multiple quantum wells 196 (1988) 619
Gonçalves da Silva, C.E.T., see Gummich 196 (1988) 643
Goodkind, J.M., G.F. Saville, A.E. Ruckenstein and P.M. Platzman, Escape rates of electrons from the surface of liquid helium 196 (1988) 38
Gornik, E., W. Seidenbusch, R. Christanell, R. Lassnig and C.R. Pidgeon, Evidence for impurity states close to the 2D gas in GaAs/GaAlAs heterostructures 196 (1988) 339
Gornik, E., see Lassnig 196 (1988) 367
Gossard, A.C., see Goldberg 196 (1988) 209
Gossard, A.C., see Willett 196 (1988) 257
Gossard, A.C., see Gammel 196 (1988) 417
Gossard, A.C., see Eisenstein 196 (1988) 445
Gossard, A.C., see Goldberg 196 (1988) 619

Govorov, A.O., see Chaplik 196 (1988) 719
Greene, R.L., see Borroff 196 (1988) 626
Grimes, R.T., see Rikken 196 (1988) 303
Grinstein, G., see Awschalom 196 (1988) 649
Guldner, Y., see Boebinger 196 (1988) 669
Gummich, U., G.G. Cabrera and C.E.T. Gonçalves da Silva, Ultrathin magnetic layers in semiconductor superlattices 196 (1988) 643
Gundlach, A., see Pooke 196 (1988) 59

Hall, R.P., see Gammel 196 (1988) 417
Hansen, W., see Kotthaus 196 (1988) 600
Harbison, J.P., see Roukes 196 (1988) 79
Hardy, G.A., see Kent 196 (1988) 410
Harris, J.J., see Clark 196 (1988) 219
Harris, J.J., see Brummell 196 (1988) 451
Harris, T.D., see Sauer 196 (1988) 388
Haug, R.J., K. von Klitzing, R.J. Nicholas, J.C. Maan and G. Weimann, The influence of a tilted magnetic field on the fractional quantum Hall effect and the exchange enhancement of the spin splitting 196 (1988) 242
Hawker, P., see Kent 196 (1988) 410
Hawrylak, P., G. Eliasson and J.J. Quinn, Electron self-energy, effective mass and lifetime in a layered electron gas 196 (1988) 482
Haynes, S.R., see Clark 196 (1988) 219
Hegarty, J. and M.D. Sturge, Exciton localisation in quantum well structures 196 (1988) 555
Heiblum, M., see Andrei 196 (1988) 501
Heiman, D., see Goldberg 196 (1988) 209
Heiman, D., see Zucker 196 (1988) 563
Heiman, D., see Goldberg 196 (1988) 619
Hein, G., see Bliek 196 (1988) 156
Heitmann, D., see Ensslin 196 (1988) 263
Henderson, T., see Oberli 196 (1988) 611
Henini, M., see Payling 196 (1988) 404
Heuring, W., see Waag 196 (1988) 328
Higgins, R.J., see Martin 196 (1988) 323
Hill, G., see Rikken 196 (1988) 303
Hipólito, O., see Degani 196 (1988) 459
Hipólito, O., see Marques 196 (1988) 659
Hirakawa, K., see Wakabayashi 196 (1988) 236
Hirakawa, K., T. Noda and H. Sakaki, Interface roughness in AlAs/GaAs quantum wells characterized by the mobility of two-dimensional electrons 196 (1988) 365
Howard, R.E., see Chang 196 (1988) 46
Howard, R.E., see Timp 196 (1988) 68
Hübner, H.J., see Abstreiter 196 (1988) 613
Hughes, O.H., see Payling 196 (1988) 404

Isaacs, E., see Zucker 196 (1988) 563
Iwasa, Y., see Lee 196 (1988) 534

Jackson, S.A., Spin fluctuations and magnetic polaron formation in dilute magnetic semiconductor quantum well structures 196 (1988) 654
Jain, J.K. and S. Das Sarma, Elementary collective excitations in multi-layered two-dimensional systems 196 (1988) 466

Jarosik, N.C., see Cheng 196 (1988) 268
Jiang, H.-W., M.A. Stan and A.J. Dahm, Phase diagrams and melting in a screened two-dimensional system: electrons on helium films 196 (1988) 1
Journaux, Y., see Clark 196 (1988) 219
Jucknischke, D., see Bliek 196 (1988) 156

Kajita, K., Nonlinear transport phenomena of crystallized electrons formed on liquid helium film 196 (1988) 29
Kane, B.E., D.C. Tsui and G. Weimann, Low frequency noise in the integral quantum Hall effect 196 (1988) 183
Kaplan, S.B., Structure in the rectifying behavior of mesoscopic Si MOSFETs 196 (1988) 93
Kawaji, S., see Wakabayashi 196 (1988) 236
Kawaji, S. and N. Nagashima, Effects of higher subband tails on inelastic scattering time in Si(001) inversion layers 196 (1988) 316
Kent, A.J., V.W. Rampton, M.I. Newton, P.J.A. Carter, G.A. Hardy, P. Hawker, P.A. Russell and L.J. Challis, Magnetic field dependence of the phonon scattering and phonon emission by a 2DEG in a Si MOSFET 196 (1988) 410
Kim, L.S., see Smith III 196 (1988) 287
Klein, M.V., see Oberli 196 (1988) 611
Koch, F., see Zrenner 196 (1988) 671
Koch, F., see Perry 196 (1988) 677
Kong, M.Y., see Chmielowski 196 (1988) 299
Kose, V., see Bliek 196 (1988) 156
Kotthaus, J.P., W. Hansen, H. Pohlmann, M. Wassermeier and K. Ploog, Intersubband resonances in quasi-one-dimensional channels 196 (1988) 600
Kramer, B., Y. Ono and T. Ohtsuki, On the fractal dimensionality of the extended states in disordered two-dimensional systems in a strong magnetic field 196 (1988) 127
Kramer, G.M. and R.F. Wallis, Theory of electronic impurity states associated with primed subbands of inversion layers in silicon MOSFETs 196 (1988) 355
Kuchar, F., see Meisels 196 (1988) 177
Kukushkin, I.V. and V.B. Timofeev, Optical measurements of Landau level density of states and Coulomb gaps under FQHE in Si MOSFET 196 (1988) 196
Kundu, S., see Basu 196 (1988) 700
Kunze, U., Tunneling study of mixed electric and magnetic subbands on Si(001) surfaces 196 (1988) 374

Lach, E., see Tränkle 196 (1988) 584
Lamari, S. and L.J. Sham, Theory of magneto-optical properties in narrow-gap semiconductor quantum wells 196 (1988) 551
Lambert, B., see Deveaud 196 (1988) 386
Landheer, D., see D'Iorio 196 (1988) 165
Landwehr, G., see Waag 196 (1988) 328
Lassnig, R., see Gornik 196 (1988) 339
Lassnig, R., J. Smoliner, W. Boxleitner and E. Gornik, Tunneling study of GaAs/GaAlAs heterostructures 196 (1988) 367
Laux, S.E., D.J. Frank and F. Stern, Quasi-one-dimensional electron states in a split-gate GaAs/AlGaAs heterostructure 196 (1988) 101
Leadbeater, M.L., see Taylor 196 (1988) 52
Leadley, D.R., see Brummell 196 (1988) 451
Leal, C.E., see De Andrada e Silva 196 (1988) 352

Lee, J.S., N. Miura and Y. Iwasa, Magneto-optics of n- and p-type modulation-doped GaAs/$Al_xGa_{1-x}As$ quantum wells 196 (1988) 534
Lee, K.S., see Perry 196 (1988) 677
Lee, P.A., Conductance fluctuations in small devices 196 (1988) 43
Lei, X.L., see Yang 196 (1988) 487
Leo, J., see Movaghar 196 (1988) 381
Liang, G.B., see Chmielowski 196 (1988) 299
Lim, K.Y., see Meisels 196 (1988) 177
López, C., see Calleja 196 (1988) 578
Lu, X.J., see Yang 196 (1988) 487

Maan, J.C., see Haug 196 (1988) 242
Maan, J.C., Magneto-optical properties of superlattices and quantum wells 196 (1988) 518
MacKinnon, A., see Movaghar 196 (1988) 381
Maheswaran, B., see Markiewicz 196 (1988) 707
Mailhiot, C., see Smith 196 (1988) 683
Main, P.C., see Taylor 196 (1988) 52
Mallett, J.R., see Clark 196 (1988) 219
Mankiewich, P., see Chang 196 (1988) 46
Mankiewich, P., see Timp 196 (1988) 68
Markiewicz, R.S., M. Meskoob and B. Maheswaran, Landau gap in a two-dimensional hole gas 196 (1988) 707
Marques, G.E., V.A. Chitta, M.H. Degani and O. Hipólito, Bound magnetic polaron in semimagnetic semiconductor heterostructures 196 (1988) 659
Martin, K.P., R.J. Higgins, J.J.L. Rascol, H. Yoo and J.R. Arthur, Quantum lifetime measurements of the two-dimensional electron gas at the inverted AlGaAs/GaAs interface 196 (1988) 323
McCombe, B.D., see Cheng 196 (1988) 268
McCombe, B.D., see Mercy 196 (1988) 334
McInnes, J.A., see Butcher 196 (1988) 139
McIntyre, I., see Taylor 196 (1988) 52
Meisels, R., F. Kuchar, K.Y. Lim, G. Weimann and W. Schlapp, The intrinsic plateau width and the effect of the sample boundaries on the integral quantum Hall effect in GaAs/AlGaAs 196 (1988) 177
Mellor, C.J., C.M. Muirhead, J. Traverse and W.F. Vinen, The search for crystallization of a two-dimensional pool of ions trapped below the surface of superfluid ^4He 196 (1988) 33
Méndez, E.E., see Calleja 196 (1988) 578
Mercy, J.-M., B.D. McCombe, W. Beard, J. Ralston and G. Wicks, Barrier impurity states in modulation doped AlGaAs/GaAs multi-quantum wells 196 (1988) 334
Merkt, U., see Oelting 196 (1988) 273
Merlin, R., see Borroff 196 (1988) 626
Meskoob, M., see Markiewicz 196 (1988) 707
Mihailovič, D., see Westland 196 (1988) 399
Miner, C.J., see D'Iorio 196 (1988) 165
Miura, N., see Lee 196 (1988) 534
Mooij, J.E., see Van Houten 196 (1988) 144
Moore, T., see D'Iorio 196 (1988) 165
Morkoç, H., see Oberli 196 (1988) 611
Mottahedeh, R., see Pooke 196 (1988) 59
Movaghar, B., J. Leo and A. MacKinnon, Elastic and inelastic tunneling in multiple quantum well structures 196 (1988) 381

Muirhead, C.M., see Mellor 196 (1988) 33
Munekata, H., see Awschalom 196 (1988) 649
Munekata, H., see Smith III 196 (1988) 687
Musser, D., see Gammon 196 (1988) 359

Nachev, I., see Shikin 196 (1988) 494
Nagashima, N., see Kawaji 196 (1988) 316
Narayanamurti, V., see Eisenstein 196 (1988) 445
Nash, K.J., see Skolnick 196 (1988) 507
Newton, M.I., see Kent 196 (1988) 410
Nicholas, R.J., see Clark 196 (1988) 219
Nicholas, R.J., see Haug 196 (1988) 242
Nicholas, R.J., see Singleton 196 (1988) 429
Nicholas, R.J., see Brummell 196 (1988) 451
Niemeyer, J., see Bliek 196 (1988) 156
Noda, T., see Hirakawa 196 (1988) 365
Nurmikko, A.V., Quasi-two-dimensional excitons in selected II–VI compound semiconductor superlattices: the case of a small valence band offset 196 (1988) 632

Oberli, D.Y., D.R. Wake, M.V. Klein, T. Henderson and H. Morkoç, Picosecond studies of intersubband relaxation in semiconductor quantum wells 196 (1988) 611
Oelting, S., A.D. Wieck, E. Batke and U. Merkt, Cyclotron masses of inversion electrons in tilted magnetic fields 196 (1988) 273
Ohtsuki, T., see Kramer 196 (1988) 127
Ono, Y., see Kramer 196 (1988) 127
Orgonasi, J., see Brum 196 (1988) 512

Paalanen, M.A., see Adams 196 (1988) 150
Payling, C.A., E.S. Alves, L. Eaves, T.J. Foster, M. Henini, O.H. Hughes, P.E. Simmonds, F.W. Sheard, G.A. Toombs and J.C. Portal, Evidence for sequential tunnelling and charge build-up in double barrier resonant tunnelling devices 196 (1988) 404
Peeters, F.M., Wu Xiaoguang and J.T. Devreese, Polaron cyclotron mass in $GaAs/Al_xGa_{1-x}As$ heterostructures 196 (1988) 437
Pepper, M., see Pooke 196 (1988) 59
Perry, C.H., K.S. Lee, W. Zhou, J.M. Worlock, A. Zrenner, F. Koch and K. Ploog, Magneto-optical studies of a silicon delta-doping layer in n-GaAs 196 (1988) 677
Pham, T., see Smith III 196 (1988) 287
Pidgeon, C.R., see Gornik 196 (1988) 339
Pinczuk, A., see Goldberg 196 (1988) 209
Pinczuk, A., see Zucker 196 (1988) 563
Pinczuk, A., see Goldberg 196 (1988) 619
Platero, G., see Altarelli 196 (1988) 540
Platzman, P.M., see Goodkind 196 (1988) 38
Plesiewicz, W., see Chmielowski 196 (1988) 299
Ploog, K., see Ensslin 196 (1988) 263
Ploog, K., see Rikken 196 (1988) 303
Ploog, K., see Kotthaus 196 (1988) 600
Ploog, K., see Zrenner 196 (1988) 671

Ploog, K., see Perry	196 (1988)	677
Pohlmann, H., see Kotthaus	196 (1988)	600
Pooke, D., R. Mottahedeh, M. Pepper and A. Gundlach, Quantum transport in narrow Si accumulation layers	196 (1988)	59
Portal, J.C., see Payling	196 (1988)	404
Price, P.J., Tunneling in AlGaAs by Γ–X scattering	196 (1988)	394
Quinn, J.J., see Hawrylak	196 (1988)	482
Rafol, S., see Woo	196 (1988)	665
Ralston, J., see Mercy	196 (1988)	334
Rampton, V.W., see Kent	196 (1988)	410
Rascol, J.J.L., see Martin	196 (1988)	323
Regreny, A., see Deveaud	196 (1988)	386
Remenyi, G., see Waag	196 (1988)	328
Ridley, B.K., see Babiker	196 (1988)	422
Rikken, G.L.J.A., P. Wyder, K. Ploog, J.M. Chamberlain, R.T. Grimes and G. Hill, Nanosecond far infra red magnetospectroscopy of GaAs/AlGaAs heterostructures	196 (1988)	303
Rogers, D.C., see Singleton	196 (1988)	429
Rorison, J.M., see Skolnick	196 (1988)	507
Roukes, M.L., A. Scherer, H.G. Craighead, S.J. Allen, Jr., R.M. Ruthen, E.D. Beebe and J.P. Harbison, Transport in ultra-narrow quantum well wires	196 (1988)	79
Ruckenstein, A.E., see Goodkind	196 (1988)	38
Russell, P.A., see Kent	196 (1988)	410
Ruthen, R.M., see Roukes	196 (1988)	79
Ryan, J.F., see Westland	196 (1988)	399
Sachrajda, A.S., see D'Iorio	196 (1988)	165
Saitoh, M., Melting and transport properties of two-dimensional Wigner crystals on liquid He	196 (1988)	8
Sakaki, H., see Wakabayashi	196 (1988)	236
Sakaki, H., see Hirakawa	196 (1988)	365
Sarkar, C.K., see Basu	196 (1988)	700
Sauer, R., T.D. Harris and W.T. Tsang, Photoluminescence and photoluminescence excitation study of electron–hole tunneling in $In_{0.53}Ga_{0.47}As/InP$ coupled-single quantum wells	196 (1988)	388
Saville, G.F., see Goodkind	196 (1988)	38
Scherer, A., see Roukes	196 (1988)	79
Schlapp, W., see Bliek	196 (1988)	156
Schlapp, W., see Meisels	196 (1988)	177
Schlapp, W., see Waag	196 (1988)	328
Schlapp, W., see Brum	196 (1988)	512
Schlapp, W., see Abstreiter	196 (1988)	613
Scott, M.D., see Westland	196 (1988)	399
Seidenbusch, W., see Gornik	196 (1988)	339
Seilmeier, A., see Abstreiter	196 (1988)	613
Serre, J., see Ghazali	196 (1988)	346
Shah, J., see Deveaud	196 (1988)	386
Sham, L.J., see Eric Yang	196 (1988)	533
Sham, L.J., see Lamari	196 (1988)	551

Shanabrook, B.V., see Gammon 196 (1988) 359
Sheard, F.W., see Payling 196 (1988) 404
Shikin, V.B. and I. Nachev, Edge electron states in charged two-dimensional systems 196 (1988) 494
Sigg, H., see Ensslin 196 (1988) 263
Sigg, H., D. Weiss and K. von Klitzing, Magnetotransport and cyclotron resonance investigations of the 2D electron gas in e^--beam irradiated AlGaAs/GaAs heterojunctions 196 (1988) 293
Simmonds, P.E., see Payling 196 (1988) 404
Simmons, J.A., D.C. Tsui and G. Weimann, Quantum interference effects in high-mobility mesoscopic GaAs/$Al_xGa_{1-x}As$ heterostructures 196 (1988) 81
Singleton, J., R.J. Nicholas, D.C. Rogers and C.T.B. Foxon, Cyclotron resonance of electrons in a narrow GaAs/(Ga,Al)As quantum well: polaron effects and non-parabolicity 196 (1988) 429
Skolnick, M.S., J.M. Rorison, K.J. Nash and S.J. Bass, Fermi energy edge singularity in luminescence spectra from modulation-doped quantum wells 196 (1988) 507
Skośkiewicz, T., see Chmielowski 196 (1988) 299
Smith, D.L. and C. Mailhiot, Strained type II superlattices 196 (1988) 683
Smith III, T.P., W.I. Wang, F.F. Fang, L.L. Chang, L.S. Kim, T. Pham and H.D. Drew, Magnetotransport and cyclotron resonance in AlAs quantum wells 196 (1988) 287
Smith III, T.P., see Fang 196 (1988) 310
Smith III, T.P., H. Munekata, L.L. Chang, F.F. Fang and L. Esaki, Magnetic-field-induced transitions in InAs/$Ga_{1-x}Al_xSb$ heterostructures 196 (1988) 687
Smoliner, J., see Lassnig 196 (1988) 367
Springthorpe, A.J., see D'Iorio 196 (1988) 165
Staines, M., see Calleja 196 (1988) 578
Stan, M.A., see Jiang 196 (1988) 1
Stern, F., see Laux 196 (1988) 101
Stiles, P.J., see Dabiran 196 (1988) 712
Stormer, H.L., see Willett 196 (1988) 257
Stormer, H.L., see Gammel 196 (1988) 417
Sturge, M.D., see Hegarty 196 (1988) 555
Suckling, A.M., see Clark 196 (1988) 219
Sudou, S., see Wakabayashi 196 (1988) 236
Sun, D.Z., see Chmielowski 196 (1988) 299
Syphers, D.A. and J.E. Furneaux, Fractional quantum Hall effect in tilted magnetic fields 196 (1988) 252

Takagahara, T., Enhanced excitonic optical nonlinearity and exciton dynamics in semiconductor microstructures 196 (1988) 590
Taylor, R.P., M.L. Leadbeater, G.P. Whittington, P.C. Main, L. Eaves, S.P. Beaumont, I. McIntyre, S. Thoms and C.D.W. Wilkinson, Universal conductance fluctuations in the magnetoresistance of submicron-size n^+-GaAs wires and laterally confined n^--GaAs/(AlGa)As heterostructures 196 (1988) 52
Tejedor, C., see Calleja 196 (1988) 578
Thoms, S., see Taylor 196 (1988) 52
Timofeev, V.B., see Kukushkin 196 (1988) 196
Timp, G., see Chang 196 (1988) 46

Timp, G., A.M. Chang, P. deVegvar, R.E. Howard, R. Behringer, J.E. Cunningham and P. Mankiewich, Quantum transport in one-dimensional GaAs/AlGaAs microstructures 196 (1988) 68
Toombs, G.A., see Payling 196 (1988) 404
Tränkle, G., E. Lach, M. Walther, A. Forchel and G. Weimann, Optical investigation of 2D Mott transitions in GaAs/GaAlAs quantum well structures 196 (1988) 584
Traverse, J., see Mellor 196 (1988) 33
Trugman, S.A. and F.R. Waugh, Complex scattering dynamics and the integral quantum Hall effect 196 (1988) 171
Tsai, C.H., see Yang 196 (1988) 487
Tsang, W.T., see Sauer 196 (1988) 388
Tsui, D.C., see Simmons 196 (1988) 81
Tsui, D.C., see Kane 196 (1988) 183
Tsui, D.C., see Willett 196 (1988) 257
Tsui, D.C., see Chou 196 (1988) 279
Tu, C.W., see Goldberg 196 (1988) 209

Usher, A., see Clark 196 (1988) 219

Van Houten, H., C.W.J. Beenakker, B.J. van Wees and J.E. Mooij, Boundary scattering modified one-dimensional weak localization in submicron GaAs/AlGaAs heterostructures 196 (1988) 144
Van Wees, B.J., see Van Houten 196 (1988) 144
Vieren, J.P., see Boebinger 196 (1988) 669
Viña, L., Spectroscopic studies of excitonic fine structure under electric fields 196 (1988) 569
Viña, L., see Calleja 196 (1988) 578
Vinen, W.F., see Mellor 196 (1988) 33
Voisin, P., see Brum 196 (1988) 545
Von Klitzing, K., see Haug 196 (1988) 242
Von Klitzing, K., see Sigg 196 (1988) 293
Voos, M., see Brum 196 (1988) 512
Voos, M., see Brum 196 (1988) 545
Voos, M., see Boebinger 196 (1988) 669

Waag, A., W. Heuring, G. Remenyi, G. Landwehr, E. Bangert, G. Weimann and W. Schlapp, Density of states in a two-dimensional hole gas in high magnetic fields 196 (1988) 328
Wainer, J.J., A.B. Fowler and R.A. Webb, Magnetic field effects in strongly localized quasi-1D MOSFETs 196 (1988) 134
Wakabayashi, J., S. Sudou, S. Kawaji, K. Hirakawa and H. Sakaki, Effects of the gate bias on the activation energies of the fractional quantum Hall effect 196 (1988) 236
Wakahara, S., see Akera 196 (1988) 694
Wake, D.R., see Oberli 196 (1988) 611
Wallis, R.F., see Kramer 196 (1988) 355
Walther, M., see Tränkle 196 (1988) 584
Wang, W.I., see Smith III 196 (1988) 287
Wang, W.I., see Calleja 196 (1988) 578
Wassermeier, M., see Kotthaus 196 (1988) 600
Waugh, F.R., see Trugman 196 (1988) 171

Webb, R.A., see Wainer 196 (1988) 134
Weimann, G., see Simmons 196 (1988) 81
Weimann, G., see Bliek 196 (1988) 156
Weimann, G., see Meisels 196 (1988) 177
Weimann, G., see Kane 196 (1988) 183
Weimann, G., see Haug 196 (1988) 242
Weimann, G., see Chou 196 (1988) 279
Weimann, G., see Waag 196 (1988) 328
Weimann, G., see Brum 196 (1988) 512
Weimann, G., see Tränkle 196 (1988) 584
Weimann, G., see Abstreiter 196 (1988) 613
Weiss, D., see Sigg 196 (1988) 293
Westland, D.J., D. Mihailovič, J.F. Ryan and M.D. Scott, Time-resolved photoluminescence measurement of carrier trapping time of InGaAs/InP quantum wells 196 (1988) 399
Whittington, G.P., see Taylor 196 (1988) 52
Wicks, G., see Mercy 196 (1988) 334
Wieck, A.D., see Oelting 196 (1988) 273
Wilen, L. and R. Giannetta, Cyclotron resonance of the 2D electron crystal 196 (1988) 24
Wilkinson, C.D.W., see Taylor 196 (1988) 52
Willett, R., H.L. Stormer, D.C. Tsui, A.C. Gossard, J.H. English and K.W. Baldwin, Fractional quantum Hall effect in extremely high mobility GaAs/(AlGa)As heterostructures 196 (1988) 257
Williams, F.I.B., see Glattli 196 (1988) 17
Williams, F.I.B., see Andrei 196 (1988) 501
Woltjer, R., Experiments and theory on the quantum Hall effect with inhomogeneous electron density 196 (1988) 188
Woo, K.C., see Cheng 196 (1988) 268
Woo, K.C., S. Rafol and J.P. Faurie, Electronic properties of HgTe/HgCdTe heterojunctions 196 (1988) 665
Worlock, J.M., see Perry 196 (1988) 677
Wright, S.L., see Fang 196 (1988) 310
Wright, S.L., see Dabiran 196 (1988) 712
Wu Xiaoguang, see Peeters 196 (1988) 437
Wyder, P., see Rikken 196 (1988) 303

Xie, L.M., see Yang 196 (1988) 487
Xie, X.C. and S. Das Sarma, Aspects of transport properties of quasi-one-dimensional electron systems 196 (1988) 89

Yang, R.Q., X.J. Lu, X.L. Lei, L.M. Xie and C.H. Tsai, Density correlation function of a superlattice with wave function overlap 196 (1988) 487
Yoo, H., see Martin 196 (1988) 323
Yoshino, J., see Awschalom 196 (1988) 649

Zeller, R.T., see Dabiran 196 (1988) 712
Zhou, W., see Perry 196 (1988) 677
Zhuang, W.H., see Chmielowski 196 (1988) 299
Zrenner, A., F. Koch and K. Ploog, Subband physics for a "realistic" δ-doping layer 196 (1988) 671
Zrenner, A., see Perry 196 (1988) 677
Zucker, J.E., E. Isaacs, D. Heiman, A. Pinczuk and D.S. Chemla, Localized quantum well excitons in the high magnetic field limit 196 (1988) 563

Surface Science 196 (1988) 732–747
North-Holland, Amsterdam

SUBJECT INDEX

Aluminium

A.M. Chang, G. Timp, T.Y. Chang, J.E. Cunningham, B. Chelluri, P.M. Mankiewich, R.E. Behringer and R.E. Howard, Magneto-quantum transport in a quasi-one-dimensional GaAs/$Al_xGa_{1-x}As$ ring 196 (1988) 46

R.P. Taylor, M.L. Leadbeater, G.P. Whittington, P.C. Main, L. Eaves, S.P. Beaumont, I. McIntyre, S. Thoms and C.D.W. Wilkinson, Universal conductance fluctuations in the magnetoresistance of submicron-size n^+-GaAs wires and laterally confined n^--GaAs/(AlGa)As heterostructures 196 (1988) 52

G. Timp, A.M. Chang, P. deVegvar, R.E. Howard, R. Behringer, J.E. Cunningham and P. Mankiewich, Quantum transport in one-dimensional GaAs/AlGaAs microstructures 196 (1988) 68

M.L. Roukes, A. Scherer, H.G. Craighead, S.J. Allen, Jr., R.M. Ruthen, E.D. Beebe and J.P. Harbison, Transport in ultra-narrow quantum well wires 196 (1988) 79

J.A. Simmons, D.C. Tsui and G. Weimann, Quantum interference effects in high-mobility mesoscopic GaAs/$Al_xGa_{1-x}As$ heterostructures 196 (1988) 81

S.E. Laux, D.J. Frank and F. Stern, Quasi-one-dimensional electron states in a split-gate GaAs/AlGaAs heterostructure 196 (1988) 101

H. van Houten, C.W.J. Beenakker, B.J. van Wees and J.E. Mooij, Boundary scattering modified one-dimensional weak localization in submicron GaAs/AlGaAs heterostructures 196 (1988) 144

L. Bliek, G. Hein, D. Jucknischke, V. Kose, J. Niemeyer, G. Weimann and W. Schlapp, Breakdown of dissipationless quantum Hall conduction in narrow channels 196 (1988) 156

M. D'Iorio, A.S. Sachrajda, D. Landheer, M. Buchanan, T. Moore, C.J. Miner and A.J. Springthorpe, Narrow channel breakdown in GaAs/AlGaAs heterostructures 196 (1988) 165

R. Meisels, F. Kuchar, K.Y. Lim, G. Weimann and W. Schlapp, The intrinsic plateau width and the effect of the sample boundaries on the integral quantum Hall effect in GaAs/AlGaAs 196 (1988) 177

B.E. Kane, D.C. Tsui and G. Weimann, Low frequency noise in the integral quantum Hall effect 196 (1988) 183

B.B. Goldberg, D. Heiman, A. Pinczuk, C.W. Tu, A.C. Gossard and J.H. English, Magneto-optics of the fractional quantum Hall effect 196 (1988) 209

J. Wakabayashi, S. Sudou, S. Kawaji, K. Hirakawa and H. Sakaki, Effects of the gate bias on the activation energies of the fractional quantum Hall effect 196 (1988) 236

R.J. Haug, K. von Klitzing, R.J. Nicholas, J.C. Maan and G. Weimann, The influence of a tilted magnetic field on the fractional quantum Hall effect and the exchange enhancement of the spin splitting 196 (1988) 242

D.A. Syphers and J.E. Furneaux, Fractional quantum Hall effect in tilted magnetic fields 196 (1988) 252

R. Willett, H.L. Stormer, D.C. Tsui, A.C. Gossard, J.H. English and K.W. Baldwin, Fractional quantum Hall effect in extremely high mobility GaAs/(AlGa)As heterostructures 196 (1988) 257
K. Ensslin, D. Heitmann, H. Sigg and K. Ploog, Effects of the filling factor on the cyclotron resonance in gated AlGaAs/GaAs heterostructures 196 (1988) 263
M.J. Chou, D.C. Tsui and G. Weimann, Cyclotron resonance in the extreme quantum limit 196 (1988) 279
T.P. Smith III, W.I. Wang, F.F. Fang, L.L. Chang, L.S. Kim, T. Pham and H.D. Drew, Magnetotransport and cyclotron resonance in AlAs quantum wells 196 (1988) 287
H. Sigg, D. Weiss and K. von Klitzing, Magnetotransport and cyclotron resonance investigations of the 2D electron gas in e^--beam irradiated AlGaAs/GaAs heterojunctions 196 (1988) 293
M. Chmielowski, M. Gliński, W.H. Zhuang, G.B. Liang, D.Z. Sun, M.Y. Kong, W. Plesiewicz, T. Dietl and T. Skośkiewicz, Fundamental high-field transport properties of a GaAs/AlGaAs modulation doped heterostructure 196 (1988) 299
G.L.J.A. Rikken, P. Wyder, K. Ploog, J.M. Chamberlain, R.T. Grimes and G. Hill, Nanosecond far infra red magnetospectroscopy of GaAs/AlGaAs heterostructures 196 (1988) 303
F.F. Fang, T.P. Smith III and S.L. Wright, Landau-level broadening and scattering time in modulation doped GaAs/AlGaAs heterostructures 196 (1988) 310
K.P. Martin, R.J. Higgins, J.J.L. Rascol, H. Yoo and J.R. Arthur, Quantum lifetime measurements of the two-dimensional electron gas at the inverted AlGaAs/GaAs interface 196 (1988) 323
A. Waag, W. Heuring, G. Remenyi, G. Landwehr, E. Bangert, G. Weimann and W. Schlapp, Density of states in a two-dimensional hole gas in high magnetic fields 196 (1988) 328
J.-M. Mercy, B.D. McCombe, W. Beard, J. Ralston and G. Wicks, Barrier impurity states in modulation doped AlGaAs/GaAs multi-quantum wells 196 (1988) 334
E. Gornik, W. Seidenbusch, R. Christanell, R. Lassnig and C.R. Pidgeon, Evidence for impurity states close to the 2D gas in GaAs/GaAlAs heterostructures 196 (1988) 339
E.A. de Andrada e Silva, I.C. da Cunha Lima, A. Ferreira da Silva and C.E. Leal, Density of states of electrons bound to impurities in quantum wells of GaAlAs/GaAs 196 (1988) 352
D. Gammon, E. Glaser, B.V. Shanabrook and D. Musser, A spectroscopic study of screening effects in a quasi-two-dimensional system 196 (1988) 359
K. Hirakawa, T. Noda and H. Sakaki, Interface roughness in AlAs/GaAs quantum wells characterized by the mobility of two-dimensional electrons 196 (1988) 365
R. Lassnig, J. Smoliner, W. Boxleitner and E. Gornik, Tunneling study of GaAs/GaAlAs heterostructures 196 (1988) 367
P.J. Price, Tunneling in AlGaAs by Γ–X scattering 196 (1988) 394
C.A. Payling, E.S. Alves, L. Eaves, T.J. Foster, M. Henini, O.H. Hughes, P.E. Simmonds, F.W. Sheard, G.A. Toombs and J.C. Portal, Evidence for sequential tunnelling and charge build-up in double barrier resonant tunnelling devices 196 (1988) 404
P.L. Gammel, D.J. Bishop, J.P. Eisenstein, R.P. Hall, H.L. Stormer, A.C. Gossard and J.H. English, Quantum oscillations in a mechanical resonator containing a two-dimensional electron system 196 (1988) 417

J. Singleton, R.J. Nicholas, D.C. Rogers and C.T.B. Foxon, Cyclotron resonance of electrons in a narrow GaAs/(Ga,Al)As quantum well: polaron effects and non-parabolicity 196 (1988) 429
F.M. Peeters, Wu Xiaoguang and J.T. Devreese, Polaron cyclotron mass in GaAs/$Al_xGa_{1-x}As$ heterostructures 196 (1988) 437
J.P. Eisenstein, A.C. Gossard and V. Narayanamurti, Thermal conductance magneto-oscillations and electron–phonon coupling in GaAs/AlGaAs heterostructures 196 (1988) 445
M.A. Brummell, D.R. Leadley, R.J. Nicholas, J.J. Harris and C.T. Foxon, Competition between LO and TO phonon scattering in GaAs/GaAlAs heterojunctions 196 (1988) 451
M.H. Degani and O. Hipólito, Electron–interface-phonon interaction in GaAs/AlAs and InAs/GaSb heterojunctions 196 (1988) 459
E.Y. Andrei, D.C. Glattli, F.I.B. Williams and M. Heiblum, Low frequency collective excitations in the quantum-Hall system 196 (1988) 501
J.A. Brum, J. Orgonasi, G. Bastard, C. Delalande, M. Voos, G. Weimann and W. Schlapp, Optical properties of one-side modulation-doped quantum wells 196 (1988) 512
J.C. Maan, Magneto-optical properties of superlattices and quantum wells 196 (1988) 518
J.S. Lee, N. Miura and Y. Iwasa, Magneto-optics of n- and p-type modulation-doped GaAs/$Al_xGa_{1-x}As$ quantum wells 196 (1988) 534
J.A. Brum, P. Voisin, M. Voos, L.L. Chang and L. Esaki, Oscillator strengths of interband magneto-optical transitions in strained-layer heterostructures 196 (1988) 545
J. Hegarty and M.D. Sturge, Exciton localisation in quantum well structures 196 (1988) 555
J.E. Zucker, E. Isaacs, D. Heiman, A. Pinczuk and D.S. Chemla, Localized quantum well excitons in the high magnetic field limit 196 (1988) 563
L. Viña, Spectroscopic studies of excitonic fine structure under electric fields 196 (1988) 569
J.M. Calleja, C. López, C. Tejedor, L. Viña, E.E. Méndez, W.I. Wang, M. Staines and M. Cardona, Study of electric field effects on the electronic structure of quantum wells by resonant Raman scattering 196 (1988) 578
G. Tränkle, E. Lach, M. Walther, A. Forchel and G. Weimann, Optical investigation of 2D Mott transitions in GaAs/GaAlAs quantum well structures 196 (1988) 584
J.P. Kotthaus, W. Hansen, H. Pohlmann, M. Wassermeier and K. Ploog, Intersubband resonances in quasi-one-dimensional channels 196 (1988) 600
G. Abstreiter, T. Egeler, S. Beeck, A. Seilmeier, H.J. Hübner, G. Weimann and W. Schlapp, Electronic excitations in narrow GaAs/$Al_xGa_{1-x}As$ quantum well structures 196 (1988) 613
B.B. Goldberg, D. Heiman, A. Pinczuk and A.C. Gossard, Inelastic light scattering of valence subband transitions in GaAs/GaAlAs multiple quantum wells 196 (1988) 619
T.P. Smith III, H. Munekata, L.L. Chang, F.F. Fang and L. Esaki, Magnetic-field-induced transitions in InAs/$Ga_{1-x}Al_xSb$ heterostructures 196 (1988) 687
H. Akera, S. Wakahara and T. Ando, Connection rule of envelope functions at heterointerface 196 (1988) 694
A.M. Dabiran, R.T. Zeller, F.F. Fang, S.L. Wright and P.J. Stiles, Electrochemical potential oscillations of the two-dimensional electron gas in GaAs/AlGaAs heterostructures in high magnetic fields 196 (1988) 712

Cadmium telluride

A.V. Nurmikko, Quasi-two-dimensional excitons in selected II–VI compound semiconductor superlattices: the case of a small valence band offset 196 (1988) 632
D.D. Awschalom, G. Grinstein, J. Yoshino, H. Munekata and L.L. Chang, Dimensional dependence of magnetic susceptibility in dilute magnetic semiconductor superlattices 196 (1988) 649
G.E. Marques, V.A. Chitta, M.H. Degani and O. Hipólito, Bound magnetic polaron in semimagnetic semiconductor heterostructures 196 (1988) 659
K.C. Woo, S. Rafol and J.P. Faurie, Electronic properties of HgTe/HgCdTe heterojunctions 196 (1988) 665
G.S. Boebinger, Y. Guldner, J.P. Vieren, M. Voos and J.P. Faurie, Two-dimensional electron gas in HgCdTe/CdTe heterostructures 196 (1988) 669

Conductivity

K. Kajita, Nonlinear transport phenomena of crystallized electrons formed on liquid helium film 196 (1988) 29
P.A. Lee, Conductance fluctuations in small devices 196 (1988) 43
D. Pooke, R. Mottahedeh, M. Pepper and A. Gundlach, Quantum transport in narrow Si accumulation layers 196 (1988) 59
J.A. Simmons, D.C. Tsui and G. Weimann, Quantum interference effects in high-mobility mesoscopic GaAs/$Al_xGa_{1-x}As$ heterostructures 196 (1988) 81
X.C. Xie and S. Das Sarma, Aspects of transport properties of quasi-one-dimensional electron systems 196 (1988) 89
S.B. Kaplan, Structure in the rectifying behavior of mesoscopic Si MOSFETs 196 (1988) 93
J.J. Wainer, A.B. Fowler and R.A. Webb, Magnetic field effects in strongly localized quasi-1D MOSFETs 196 (1988) 134
P.N. Butcher and J.A. McInnes, Numerical and percolation studies of Ohmic variable-range hopping in 1D 196 (1988) 139
P.W. Adams and M.A. Paalanen, Localization effects in a non-degenerate 2DEG 196 (1988) 150
T.P. Smith III, H. Munekata, L.L. Chang, F.F. Fang and L. Esaki, Magnetic-field-induced transitions in InAs/$Ga_{1-x}Al_xSb$ heterostructures 196 (1988) 687
A.V. Chaplik and A.O. Govorov, Nonequilibrium charge spreading in two-dimensional electron systems 196 (1988) 719

Cyclotron resonance studies

L. Wilen and R. Giannetta, Cyclotron resonance of the 2D electron crystal 196 (1988) 24
C.J. Mellor, C.M. Muirhead, J. Traverse and W.F. Vinen, The search for crystallization of a two-dimensional pool of ions trapped below the surface of superfluid ^4He 196 (1988) 33
K. Ensslin, D. Heitmann, H. Sigg and K. Ploog, Effects of the filling factor on the cyclotron resonance in gated AlGaAs/GaAs heterostructures 196 (1988) 263
J.-P. Cheng, N.C. Jarosik, B.D. McCombe and K.C. Woo, Cyclotron resonance of electrons in Si n-inversion layers at low densities: many-body effects or localization? 196 (1988) 268
S. Oelting, A.D. Wieck, E. Batke and U. Merkt, Cyclotron masses of inversion electrons in tilted magnetic fields 196 (1988) 273

M.J. Chou, D.C. Tsui and G. Weimann, Cyclotron resonance in the extreme quantum limit 196 (1988) 279
T.P. Smith III, W.I. Wang, F.F. Fang, L.L. Chang, L.S. Kim, T. Pham and H.D. Drew, Magnetotransport and cyclotron resonance in AlAs quantum wells 196 (1988) 287
H. Sigg, D. Weiss and K. von Klitzing, Magnetotransport and cyclotron resonance investigations of the 2D electron gas in e^--beam irradiated AlGaAs/GaAs heterojunctions 196 (1988) 293
E. Gornik, W. Seidenbusch, R. Christanell, R. Lassnig and C.R. Pidgeon, Evidence for impurity states close to the 2D gas in GaAs/GaAlAs heterostructures 196 (1988) 339
J. Singleton, R.J. Nicholas, D.C. Rogers and C.T.B. Foxon, Cyclotron resonance of electrons in a narrow GaAs/(Ga,Al)As quantum well: polaron effects and non-parabolicity 196 (1988) 429
F.M. Peeters, Wu Xiaoguang and J.T. Devreese, Polaron cyclotron mass in $GaAs/Al_xGa_{1-x}As$ heterostructures 196 (1988) 437

Electron emission

J.M. Goodkind, G.F. Saville, A.E. Ruckenstein and P.M. Platzman, Escape rates of electrons from the surface of liquid helium 196 (1988) 38

Gallium antimonide

J.C. Maan, Magneto-optical properties of superlattices and quantum wells 196 (1988) 518
J.A. Brum, P. Voisin, M. Voos, L.L. Chang and L. Esaki, Oscillator strengths of interband magneto-optical transitions in strained-layer heterostructures 196 (1988) 545
S. Lamari and L.J. Sham, Theory of magneto-optical properties in narrow-gap semiconductor quantum wells 196 (1988) 551
D.L. Smith and C. Mailhiot, Strained type II superlattices 196 (1988) 683
T.P. Smith III, H. Munekata, L.L. Chang, F.F. Fang and L. Esaki, Magnetic-field-induced transitions in $InAs/Ga_{1-x}Al_xSb$ heterostructures 196 (1988) 687

Gallium arsenide

A.M. Chang, G. Timp, T.Y. Chang, J.E. Cunningham, B. Chelluri, P.M. Mankiewich, R.E. Behringer and R.E. Howard, Magneto-quantum transport in a quasi-one-dimensional $GaAs/Al_xGa_{1-x}As$ ring 196 (1988) 46
R.P. Taylor, M.L. Leadbeater, G.P. Whittington, P.C. Main, L. Eaves, S.P. Beaumont, I. McIntyre, S. Thoms and C.D.W. Wilkinson, Universal conductance fluctuations in the magnetoresistance of submicron-size n^+-GaAs wires and laterally confined n^--GaAs/(AlGa)As heterostructures 196 (1988) 52
G. Timp, A.M. Chang, P. deVegvar, R.E. Howard, R. Behringer, J.E. Cunningham and P. Mankiewich, Quantum transport in one-dimensional GaAs/AlGaAs microstructures 196 (1988) 68
M.L. Roukes, A. Scherer, H.G. Craighead, S.J. Allen, Jr., R.M. Ruthen, E.D. Beebe and J.P. Harbison, Transport in ultra-narrow quantum well wires 196 (1988) 79

J.A. Simmons, D.C. Tsui and G. Weimann, Quantum interference effects in high-mobility mesoscopic GaAs/$Al_xGa_{1-x}As$ heterostructures 196 (1988) 81
S.E. Laux, D.J. Frank and F. Stern, Quasi-one-dimensional electron states in a split-gate GaAs/AlGaAs heterostructure 196 (1988) 101
H. van Houten, C.W.J. Beenakker, B.J. van Wees and J.E. Mooij, Boundary scattering modified one-dimensional weak localization in submicron GaAs/AlGaAs heterostructures 196 (1988) 144
L. Bliek, G. Hein, D. Jucknischke, V. Kose, J. Niemeyer, G. Weimann and W. Schlapp, Breakdown of dissipationless quantum Hall conduction in narrow channels 196 (1988) 156
M. D'Iorio, A.S. Sachrajda, D. Landheer, M. Buchanan, T. Moore, C.J. Miner and A.J. Springthorpe, Narrow channel breakdown in GaAs/AlGaAs heterostructures 196 (1988) 165
R. Meisels, F. Kuchar, K.Y. Lim, G. Weimann and W. Schlapp, The intrinsic plateau width and the effect of the sample boundaries on the integral quantum Hall effect in GaAs/AlGaAs 196 (1988) 177
B.E. Kane, D.C. Tsui and G. Weimann, Low frequency noise in the integral quantum Hall effect 196 (1988) 183
B.B. Goldberg, D. Heiman, A. Pinczuk, C.W. Tu, A.C. Gossard and J.H. English, Magneto-optics of the fractional quantum Hall effect 196 (1988) 209
J. Wakabayashi, S. Sudou, S. Kawaji, K. Hirakawa and H. Sakaki, Effects of the gate bias on the activation energies of the fractional quantum Hall effect 196 (1988) 236
R.J. Haug, K. von Klitzing, R.J. Nicholas, J.C. Maan and G. Weimann, The influence of a tilted magnetic field on the fractional quantum Hall effect and the exchange enhancement of the spin splitting 196 (1988) 242
D.A. Syphers and J.E. Furneaux, Fractional quantum Hall effect in tilted magnetic fields 196 (1988) 252
R. Willett, H.L. Stormer, D.C. Tsui, A.C. Gossard, J.H. English and K.W. Baldwin, Fractional quantum Hall effect in extremely high mobility GaAs/(AlGa)As heterostructures 196 (1988) 257
K. Ensslin, D. Heitmann, H. Sigg and K. Ploog, Effects of the filling factor on the cyclotron resonance in gated AlGaAs/GaAs heterostructures 196 (1988) 263
S. Oelting, A.D. Wieck, E. Batke and U. Merkt, Cyclotron masses of inversion electrons in tilted magnetic fields 196 (1988) 273
M.J. Chou, D.C. Tsui and G. Weimann, Cyclotron resonance in the extreme quantum limit 196 (1988) 279
T.P. Smith III, W.I. Wang, F.F. Fang, L.L. Chang, L.S. Kim, T. Pham and H.D. Drew, Magnetotransport and cyclotron resonance in AlAs quantum wells 196 (1988) 287
H. Sigg, D. Weiss and K. von Klitzing, Magnetotransport and cyclotron resonance investigations of the 2D electron gas in e^--beam irradiated AlGaAs/GaAs heterojunctions 196 (1988) 293
M. Chmielowski, M. Gliński, W.H. Zhuang, G.B. Liang, D.Z. Sun, M.Y. Kong, W. Plesiewicz, T. Dietl and T. Skośkiewicz, Fundamental high-field transport properties of a GaAs/AlGaAs modulation doped heterostructure 196 (1988) 299
G.L.J.A. Rikken, P. Wyder, K. Ploog, J.M. Chamberlain, R.T. Grimes and G. Hill, Nanosecond far infra red magnetospectroscopy of GaAs/AlGaAs heterostructures 196 (1988) 303
F.F. Fang, T.P. Smith III and S.L. Wright, Landau-level broadening and scattering time in modulation doped GaAs/AlGaAs heterostructures 196 (1988) 310

K.P. Martin, R.J. Higgins, J.J.L. Rascol, H. Yoo and J.R. Arthur, Quantum lifetime measurements of the two-dimensional electron gas at the inverted AlGaAs/GaAs interface 196 (1988) 323
A. Waag, W. Heuring, G. Remenyi, G. Landwehr, E. Bangert, G. Weimann and W. Schlapp, Density of states in a two-dimensional hole gas in high magnetic fields 196 (1988) 328
J.-M. Mercy, B.D. McCombe, W. Beard, J. Ralston and G. Wicks, Barrier impurity states in modulation doped AlGaAs/GaAs multi-quantum wells 196 (1988) 334
E. Gornik, W. Seidenbusch, R. Christanell, R. Lassnig and C.R. Pidgeon, Evidence for impurity states close to the 2D gas in GaAs/GaAlAs heterostructures 196 (1988) 339
E.A. de Andrada e Silva, I.C. da Cunha Lima, A. Ferreira da Silva and C.E. Leal, Density of states of electrons bound to impurities in quantum wells of GaAlAs/GaAs 196 (1988) 352
D. Gammon, E. Glaser, B.V. Shanabrook and D. Musser, A spectroscopic study of screening effects in a quasi-two-dimensional system 196 (1988) 359
K. Hirakawa, T. Noda and H. Sakaki, Interface roughness in AlAs/GaAs quantum wells characterized by the mobility of two-dimensional electrons 196 (1988) 365
R. Lassnig, J. Smoliner, W. Boxleitner and E. Gornik, Tunneling study of GaAs/GaAlAs heterostructures 196 (1988) 367
R. Sauer, T.D. Harris and W.T. Tsang, Photoluminescence and photoluminescence excitation study of electron–hole tunneling in $In_{0.53}Ga_{0.47}As/InP$ coupled-single quantum wells 196 (1988) 388
P.J. Price, Tunneling in AlGaAs by Γ–X scattering 196 (1988) 394
D.J. Westland, D. Mihailovič, J.F. Ryan and M.D. Scott, Time-resolved photoluminescence measurement of carrier trapping time of InGaAs/InP quantum wells 196 (1988) 399
C.A. Payling, E.S. Alves, L. Eaves, T.J. Foster, M. Henini, O.H. Hughes, P.E. Simmonds, F.W. Sheard, G.A. Toombs and J.C. Portal, Evidence for sequential tunnelling and charge build-up in double barrier resonant tunnelling devices 196 (1988) 404
P.L. Gammel, D.J. Bishop, J.P. Eisenstein, R.P. Hall, H.L. Stormer, A.C. Gossard and J.H. English, Quantum oscillations in a mechanical resonator containing a two-dimensional electron system 196 (1988) 417
M. Babiker, M.P. Chamberlain, A. Ghosal and B.K. Ridley, A new resonance phenomenon associated with electron transitions in superlattices and single quantum wells 196 (1988) 422
J. Singleton, R.J. Nicholas, D.C. Rogers and C.T.B. Foxon, Cyclotron resonance of electrons in a narrow GaAs/(Ga,Al)As quantum well: polaron effects and non-parabolicity 196 (1988) 429
F.M. Peeters, Wu Xiaoguang and J.T. Devreese, Polaron cyclotron mass in $GaAs/Al_xGa_{1-x}As$ heterostructures 196 (1988) 437
J.P. Eisenstein, A.C. Gossard and V. Narayanamurti, Thermal conductance magneto-oscillations and electron–phonon coupling in GaAs/AlGaAs heterostructures 196 (1988) 445
M.A. Brummell, D.R. Leadley, R.J. Nicholas, J.J. Harris and C.T. Foxon, Competition between LO and TO phonon scattering in GaAs/GaAlAs heterojunctions 196 (1988) 451
M.H. Degani and O. Hipólito, Electron–interface-phonon interaction in GaAs/AlAs and InAs/GaSb heterojunctions 196 (1988) 459
E.Y. Andrei, D.C. Glattli, F.I.B. Williams and M. Heiblum, Low frequency collective excitations in the quantum-Hall system 196 (1988) 501

M.S. Skolnick, J.M. Rorison, K.J. Nash and S.J. Bass, Fermi energy edge singularity in luminescence spectra from modulation-doped quantum wells 196 (1988) 507
J.A. Brum, J. Orgonasi, G. Bastard, C. Delalande, M. Voos, G. Weimann and W. Schlapp, Optical properties of one-side modulation-doped quantum wells 196 (1988) 512
J.C. Maan, Magneto-optical properties of superlattices and quantum wells 196 (1988) 518
J.S. Lee, N. Miura and Y. Iwasa, Magneto-optics of n- and p-type modulation-doped GaAs/$Al_xGa_{1-x}As$ quantum wells 196 (1988) 534
M. Altarelli and G. Platero, Magnetic hole levels in quantum wells in a parallel field 196 (1988) 540
J. Hegarty and M.D. Sturge, Exciton localisation in quantum well structures 196 (1988) 555
J.E. Zucker, E. Isaacs, D. Heiman, A. Pinczuk and D.S. Chemla, Localized quantum well excitons in the high magnetic field limit 196 (1988) 563
L. Viña, Spectroscopic studies of excitonic fine structure under electric fields 196 (1988) 569
J.M. Calleja, C. López, C. Tejedor, L. Viña, E.E. Méndez, W.I. Wang, M. Staines and M. Cardona, Study of electric field effects on the electronic structure of quantum wells by resonant Raman scattering 196 (1988) 578
G. Tränkle, E. Lach, M. Walther, A. Forchel and G. Weimann, Optical investigation of 2D Mott transitions in GaAs/GaAlAs quantum well structures 196 (1988) 584
G.W. Bryant, Excitons in quantum boxes 196 (1988) 596
J.P. Kotthaus, W. Hansen, H. Pohlmann, M. Wassermeier and K. Ploog, Intersubband resonances in quasi-one-dimensional channels 196 (1988) 600
D.Y. Oberli, D.R. Wake, M.V. Klein, T. Henderson and H. Morkoç, Picosecond studies of intersubband relaxation in semiconductor quantum wells 196 (1988) 611
G. Abstreiter, T. Egeler, S. Beeck, A. Seilmeier, H.J. Hübner, G. Weimann and W. Schlapp, Electronic excitations in narrow GaAs/$Al_xGa_{1-x}As$ quantum well structures 196 (1988) 613
B.B. Goldberg, D. Heiman, A. Pinczuk and A.C. Gossard, Inelastic light scattering of valence subband transitions in GaAs/GaAlAs multiple quantum wells 196 (1988) 619
A. Zrenner, F. Koch and K. Ploog, Subband physics for a "realistic" δ-doping layer 196 (1988) 671
C.H. Perry, K.S. Lee, W. Zhou, J.M. Worlock, A. Zrenner, F. Koch and K. Ploog, Magneto-optical studies of a silicon delta-doping layer in n-GaAs 196 (1988) 677
H. Akera, S. Wakahara and T. Ando, Connection rule of envelope functions at heterointerface 196 (1988) 694
P.K. Basu, C.K. Sarkar and S. Kundu, Variation of thermopower of two-dimensional electrons in GaAs and InGaAs at low temperatures 196 (1988) 700
A.M. Dabiran, R.T. Zeller, F.F. Fang, S.L. Wright and P.J. Stiles, Electrochemical potential oscillations of the two-dimensional electron gas in GaAs/AlGaAs heterostructures in high magnetic fields 196 (1988) 712

Graphite

R.S. Markiewicz, M. Meskoob and B. Maheswaran, Landau gap in a two-dimensional hole gas 196 (1988) 707

Hall effect

D. Pooke, R. Mottahedeh, M. Pepper and A. Gundlach, Quantum transport in narrow Si accumulation layers 196 (1988) 59
M.L. Roukes, A. Scherer, H.G. Craighead, S.J. Allen, Jr., R.M. Ruthen, E.D. Beebe and J.P. Harbison, Transport in ultra-narrow quantum well wires 196 (1988) 79
H. Aoki, Localisation in the quantum Hall regime 196 (1988) 107
L. Bliek, G. Hein, D. Jucknischke, V. Kose, J. Niemeyer, G. Weimann and W. Schlapp, Breakdown of dissipationless quantum Hall conduction in narrow channels 196 (1988) 156
S.A. Trugman and F.R. Waugh, Complex scattering dynamics and the integral quantum Hall effect 196 (1988) 171
R. Meisels, F. Kuchar, K.Y. Lim, G. Weimann and W. Schlapp, The intrinsic plateau width and the effect of the sample boundaries on the integral quantum Hall effect in GaAs/AlGaAs 196 (1988) 177
B.E. Kane, D.C. Tsui and G. Weimann, Low frequency noise in the integral quantum Hall effect 196 (1988) 183
R. Woltjer, Experiments and theory on the quantum Hall effect with inhomogeneous electron density 196 (1988) 188
B.B. Goldberg, D. Heiman, A. Pinczuk, C.W. Tu, A.C. Gossard and J.H. English, Magneto-optics of the fractional quantum Hall effect 196 (1988) 209
R.G. Clark, J.R. Mallett, A. Usher, A.M. Suckling, R.J. Nicholas, S.R. Haynes, Y. Journaux, J.J. Harris and C.T. Foxon, Experimental tests of fractional quantum Hall effect theory 196 (1988) 219
J. Wakabayashi, S. Sudou, S. Kawaji, K. Hirakawa and H. Sakaki, Effects of the gate bias on the activation energies of the fractional quantum Hall effect 196 (1988) 236
R.J. Haug, K. von Klitzing, R.J. Nicholas, J.C. Maan and G. Weimann, The influence of a tilted magnetic field on the fractional quantum Hall effect and the exchange enhancement of the spin splitting 196 (1988) 242
D.A. Syphers and J.E. Furneaux, Fractional quantum Hall effect in tilted magnetic fields 196 (1988) 252
R. Willett, H.L. Stormer, D.C. Tsui, A.C. Gossard, J.H. English and K.W. Baldwin, Fractional quantum Hall effect in extremely high mobility GaAs/(AlGa)As heterostructures 196 (1988) 257
M. Chmielowski, M. Gliński, W.H. Zhuang, G.B. Liang, D.Z. Sun, M.Y. Kong, W. Plesiewicz, T. Dietl and T. Skośkiewicz, Fundamental high-field transport properties of a GaAs/AlGaAs modulation doped heterostructure 196 (1988) 299
K.P. Martin, R.J. Higgins, J.J.L. Rascol, H. Yoo and J.R. Arthur, Quantum lifetime measurements of the two-dimensional electron gas at the inverted AlGaAs/GaAs interface 196 (1988) 323
P.L. Gammel, D.J. Bishop, J.P. Eisenstein, R.P. Hall, H.L. Stormer, A.C. Gossard and J.H. English, Quantum oscillations in a mechanical resonator containing a two-dimensional electron system 196 (1988) 417
M.A. Brummell, D.R. Leadley, R.J. Nicholas, J.J. Harris and C.T. Foxon, Competition between LO and TO phonon scattering in GaAs/GaAlAs heterojunctions 196 (1988) 451
E.Y. Andrei, D.C. Glattli, F.I.B. Williams and M. Heiblum, Low frequency collective excitations in the quantum-Hall system 196 (1988) 501
K.C. Woo, S. Rafol and J.P. Faurie, Electronic properties of HgTe/HgCdTe heterojunctions 196 (1988) 665

Hydrogen

P.W. Adams and M.A. Paalanen, Localization effects in a non-degenerate 2DEG 196 (1988) 150

Indium antimonide

S. Oelting, A.D. Wieck, E. Batke and U. Merkt, Cyclotron masses of inversion electrons in tilted magnetic fields 196 (1988) 273
J.C. Maan, Magneto-optical properties of superlattices and quantum wells 196 (1988) 518
D.L. Smith and C. Mailhiot, Strained type II superlattices 196 (1988) 683

Indium arsenide

T.P. Smith III, H. Munekata, L.L. Chang, F.F. Fang and L. Esaki, Magnetic-field-induced transitions in InAs/$Ga_{1-x}Al_xSb$ heterostructures 196 (1988) 687
P.K. Basu, C.K. Sarkar and S. Kundu, Variation of thermopower of two-dimensional electrons in GaAs and InGaAs at low temperatures 196 (1988) 700

Indium phosphide

R. Sauer, T.D. Harris and W.T. Tsang, Photoluminescence and photoluminescence excitation study of electron–hole tunneling in $In_{0.53}Ga_{0.47}As$/InP coupled-single quantum wells 196 (1988) 388
D.J. Westland, D. Mihailovič, J.F. Ryan and M.D. Scott, Time-resolved photoluminescence measurement of carrier trapping time of InGaAs/InP quantum wells 196 (1988) 399
M.S. Skolnick, J.M. Rorison, K.J. Nash and S.J. Bass, Fermi energy edge singularity in luminescence spectra from modulation-doped quantum wells 196 (1988) 507

Infrared spectroscopy

S. Oelting, A.D. Wieck, E. Batke and U. Merkt, Cyclotron masses of inversion electrons in tilted magnetic fields 196 (1988) 273
J.-M. Mercy, B.D. McCombe, W. Beard, J. Ralston and G. Wicks, Barrier impurity states in modulation doped AlGaAs/GaAs multi-quantum wells 196 (1988) 334
D. Gammon, E. Glaser, B.V. Shanabrook and D. Musser, A spectroscopic study of screening effects in a quasi-two-dimensional system 196 (1988) 359
J.P. Kotthaus, W. Hansen, H. Pohlmann, M. Wassermeier and K. Ploog, Intersubband resonances in quasi-one-dimensional channels 196 (1988) 600
G. Abstreiter, T. Egeler, S. Beeck, A. Seilmeier, H.J. Hübner, G. Weimann and W. Schlapp, Electronic excitations in narrow GaAs/$Al_xGa_{1-x}As$ quantum well structures 196 (1988) 613

Light scattering

B.B. Goldberg, D. Heiman, A. Pinczuk and A.C. Gossard, Inelastic light scattering of valence subband transitions in GaAs/GaAlAs multiple quantum wells 196 (1988) 619

Magnetic measurements

A.M. Chang, G. Timp, T.Y. Chang, J.E. Cunningham, B. Chelluri, P.M. Mankiewich, R.E. Behringer and R.E. Howard, Magneto-quantum transport in a quasi-one-dimensional GaAs/$Al_xGa_{1-x}As$ ring 196 (1988) 46
R.P. Taylor, M.L. Leadbeater, G.P. Whittington, P.C. Main, L. Eaves, S.P. Beaumont, I. McIntyre, S. Thoms and C.D.W. Wilkinson, Universal conductance fluctuations in the magnetoresistance of submicron-size n^+-GaAs wires and laterally confined n^--GaAs/(AlGa)As heterostructures 196 (1988) 52
G. Timp, A.M. Chang, P. deVegvar, R.E. Howard, R. Behringer, J.E. Cunningham and P. Mankiewich, Quantum transport in one-dimensional GaAs/AlGaAs microstructures 196 (1988) 68
J.A. Simmons, D.C. Tsui and G. Weimann, Quantum interference effects in high-mobility mesoscopic GaAs/$Al_xGa_{1-x}As$ heterostructures 196 (1988) 81
J.J. Wainer, A.B. Fowler and R.A. Webb, Magnetic field effects in strongly localized quasi-1D MOSFETs 196 (1988) 134
H. van Houten, C.W.J. Beenakker, B.J. van Wees and J.E. Mooij, Boundary scattering modified one-dimensional weak localization in submicron GaAs/AlGaAs heterostructures 196 (1988) 144
P.W. Adams and M.A. Paalanen, Localization effects in a non-degenerate 2DEG 196 (1988) 150
M. D'Iorio, A.S. Sachrajda, D. Landheer, M. Buchanan, T. Moore, C.J. Miner and A.J. Springthorpe, Narrow channel breakdown in GaAs/AlGaAs heterostructures 196 (1988) 165
I.V. Kukushkin and V.B. Timofeev, Optical measurements of Landau level density of states and Coulomb gaps under FQHE in Si MOSFET 196 (1988) 196
G.L.J.A. Rikken, P. Wyder, K. Ploog, J.M. Chamberlain, R.T. Grimes and G. Hill, Nanosecond far infra red magnetospectroscopy of GaAs/AlGaAs heterostructures 196 (1988) 303
A. Waag, W. Heuring, G. Remenyi, G. Landwehr, E. Bangert, G. Weimann and W. Schlapp, Density of states in a two-dimensional hole gas in high magnetic fields 196 (1988) 328
C.A. Payling, E.S. Alves, L. Eaves, T.J. Foster, M. Henini, O.H. Hughes, P.E. Simmonds, F.W. Sheard, G.A. Toombs and J.C. Portal, Evidence for sequential tunnelling and charge build-up in double barrier resonant tunnelling devices 196 (1988) 404
J.P. Eisenstein, A.C. Gossard and V. Narayanamurti, Thermal conductance magneto-oscillations and electron–phonon coupling in GaAs/AlGaAs heterostructures 196 (1988) 445
J.C. Maan, Magneto-optical properties of superlattices and quantum wells 196 (1988) 518
S.-R. Eric Yang and L.J. Sham, Theory of magneto-excitons in quantum wells 196 (1988) 533
S. Lamari and L.J. Sham, Theory of magneto-optical properties in narrow-gap semiconductor quantum wells 196 (1988) 551
J.E. Zucker, E. Isaacs, D. Heiman, A. Pinczuk and D.S. Chemla, Localized quantum well excitons in the high magnetic field limit 196 (1988) 563
B.B. Goldberg, D. Heiman, A. Pinczuk and A.C. Gossard, Inelastic light scattering of valence subband transitions in GaAs/GaAlAs multiple quantum wells 196 (1988) 619
R. Borroff, R. Merlin, R.L. Greene and J. Comas, Observation of coupled quasi-two-dimensional electronic excitations in tilted magnetic fields 196 (1988) 626

A. Zrenner, F. Koch and K. Ploog, Subband physics for a "realistic" δ-doping layer 196 (1988) 671
C.H. Perry, K.S. Lee, W. Zhou, J.M. Worlock, A. Zrenner, F. Koch and K. Ploog, Magneto-optical studies of a silicon delta-doping layer in n-GaAs 196 (1988) 677
R.S. Markiewicz, M. Meskoob and B. Maheswaran, Landau gap in a two-dimensional hole gas 196 (1988) 707
A.M. Dabiran, R.T. Zeller, F.F. Fang, S.L. Wright and P.J. Stiles, Electrochemical potential oscillations of the two-dimensional electron gas in GaAs/AlGaAs heterostructures in high magnetic fields 196 (1988) 712

Magnetic structure

T. Ando, Localization in two-dimensional square lattices: effects of magnetic field and spin–orbit interaction 196 (1988) 120
B. Kramer, Y. Ono and T. Ohtsuki, On the fractal dimensionality of the extended states in disordered two-dimensional systems in a strong magnetic field 196 (1988) 127
U. Gummich, G.G. Cabrera and C.E.T. Gonçalves da Silva, Ultrathin magnetic layers in semiconductor superlattices 196 (1988) 643
D.D. Awschalom, G. Grinstein, J. Yoshino, H. Munekata and L.L. Chang, Dimensional dependence of magnetic susceptibility in dilute magnetic semiconductor superlattices 196 (1988) 649
S.A. Jackson, Spin fluctuations and magnetic polaron formation in dilute magnetic semiconductor quantum well structures 196 (1988) 654
G.E. Marques, V.A. Chitta, M.H. Degani and O. Hipólito, Bound magnetic polaron in semimagnetic semiconductor heterostructures 196 (1988) 659

Manganese

A.V. Nurmikko, Quasi-two-dimensional excitons in selected II–VI compound semiconductor superlattices: the case of a small valence band offset 196 (1988) 632
G.E. Marques, V.A. Chitta, M.H. Degani and O. Hipólito, Bound magnetic polaron in semimagnetic semiconductor heterostructures 196 (1988) 659

Mercury

K.C. Woo, S. Rafol and J.P. Faurie, Electronic properties of HgTe/HgCdTe heterojunctions 196 (1988) 665
G.S. Boebinger, Y. Guldner, J.P. Vieren, M. Voos and J.P. Faurie, Two-dimensional electron gas in HgCdTe/CdTe heterostructures 196 (1988) 669

Noble gases

H.-W. Jiang, M.A. Stan and A.J. Dahm, Phase diagrams and melting in a screened two-dimensional system: electrons on helium films 196 (1988) 1
M. Saitoh, Melting and transport properties of two-dimensional Wigner crystals on liquid He 196 (1988) 8
D.C. Glattli, E.Y. Andrei and F.I.B. Williams, Specific and latent heat of the 2D electron solid 196 (1988) 17

L. Wilen and R. Giannetta, Cyclotron resonance of the 2D electron crystal 196 (1988) 24
K. Kajita, Nonlinear transport phenomena of crystallized electrons formed on liquid helium film 196 (1988) 29
C.J. Mellor, C.M. Muirhead, J. Traverse and W.F. Vinen, The search for crystallization of a two-dimensional pool of ions trapped below the surface of superfluid ^{4}He 196 (1988) 33
J.M. Goodkind, G.F. Saville, A.E. Ruckenstein and P.M. Platzman, Escape rates of electrons from the surface of liquid helium 196 (1988) 38

Photoconductivity

G.L.J.A. Rikken, P. Wyder, K. Ploog, J.M. Chamberlain, R.T. Grimes and G. Hill, Nanosecond far infra red magnetospectroscopy of GaAs/AlGaAs heterostructures 196 (1988) 303
F.F. Fang, T.P. Smith III and S.L. Wright, Landau-level broadening and scattering time in modulation doped GaAs/AlGaAs heterostructures 196 (1988) 310

Photon emission

I.V. Kukushkin and V.B. Timofeev, Optical measurements of Landau level density of states and Coulomb gaps under FQHE in Si MOSFET 196 (1988) 196
B.B. Goldberg, D. Heiman, A. Pinczuk, C.W. Tu, A.C. Gossard and J.H. English, Magneto-optics of the fractional quantum Hall effect 196 (1988) 209
B. Deveaud, J. Shah, T.C. Damen, A. Regreny and B. Lambert, Determination of carrier mobility for Bloch transport in superlattice minibands 196 (1988) 386
R. Sauer, T.D. Harris and W.T. Tsang, Photoluminescence and photoluminescence excitation study of electron–hole tunneling in $In_{0.53}Ga_{0.47}As/InP$ coupled-single quantum wells 196 (1988) 388
D.J. Westland, D. Mihailovič, J.F. Ryan and M.D. Scott, Time-resolved photoluminescence measurement of carrier trapping time of InGaAs/InP quantum wells 196 (1988) 399
M.S. Skolnick, J.M. Rorison, K.J. Nash and S.J. Bass, Fermi energy edge singularity in luminescence spectra from modulation-doped quantum wells 196 (1988) 507
J.A. Brum, J. Orgonasi, G. Bastard, C. Delalande, M. Voos, G. Weimann and W. Schlapp, Optical properties of one-side modulation-doped quantum wells 196 (1988) 512
J.C. Maan, Magneto-optical properties of superlattices and quantum wells 196 (1988) 518
J.S. Lee, N. Miura and Y. Iwasa, Magneto-optics of n- and p-type modulation-doped $GaAs/Al_xGa_{1-x}As$ quantum wells 196 (1988) 534
L. Viña, Spectroscopic studies of excitonic fine structure under electric fields 196 (1988) 569
A.V. Nurmikko, Quasi-two-dimensional excitons in selected II–VI compound semiconductor superlattices: the case of a small valence band offset 196 (1988) 632
D.D. Awschalom, G. Grinstein, J. Yoshino, H. Munekata and L.L. Chang, Dimensional dependence of magnetic susceptibility in dilute magnetic semiconductor superlattices 196 (1988) 649
C.H. Perry, K.S. Lee, W. Zhou, J.M. Worlock, A. Zrenner, F. Koch and K. Ploog, Magneto-optical studies of a silicon delta-doping layer in n-GaAs 196 (1988) 677

Raman scattering

D. Gammon, E. Glaser, B.V. Shanabrook and D. Musser, A spectroscopic study of screening effects in a quasi-two-dimensional system 196 (1988) 359
J.E. Zucker, E. Isaacs, D. Heiman, A. Pinczuk and D.S. Chemla, Localized quantum well excitons in the high magnetic field limit 196 (1988) 563
J.M. Calleja, C. López, C. Tejedor, L. Viña, E.E. Méndez, W.I. Wang, M. Staines and M. Cardona, Study of electric field effects on the electronic structure of quantum wells by resonant Raman scattering 196 (1988) 578
G. Abstreiter, T. Egeler, S. Beeck, A. Seilmeier, H.J. Hübner, G. Weimann and W. Schlapp, Electronic excitations in narrow $GaAs/Al_xGa_{1-x}As$ quantum well structures 196 (1988) 613
R. Borroff, R. Merlin, R.L. Greene and J. Comas, Observation of coupled quasi-two-dimensional electronic excitations in tilted magnetic fields 196 (1988) 626

Semiconductors

T. Takagahara, Enhanced excitonic optical nonlinearity and exciton dynamics in semiconductor microstructures 196 (1988) 590
S.A. Jackson, Spin fluctuations and magnetic polaron formation in dilute magnetic semiconductor quantum well structures 196 (1988) 654

Silicon

D. Pooke, R. Mottahedeh, M. Pepper and A. Gundlach, Quantum transport in narrow Si accumulation layers 196 (1988) 59
S.B. Kaplan, Structure in the rectifying behavior of mesoscopic Si MOSFETs 196 (1988) 93
J.J. Wainer, A.B. Fowler and R.A. Webb, Magnetic field effects in strongly localized quasi-1D MOSFETs 196 (1988) 134
I.V. Kukushkin and V.B. Timofeev, Optical measurements of Landau level density of states and Coulomb gaps under FQHE in Si MOSFET 196 (1988) 196
J.-P. Cheng, N.C. Jarosik, B.D. McCombe and K.C. Woo, Cyclotron resonance of electrons in Si n-inversion layers at low densities: many-body effects or localization? 196 (1988) 268
S. Kawaji and N. Nagashima, Effects of higher subband tails on inelastic scattering time in Si(001) inversion layers 196 (1988) 316
A. Ghazali, A. Gold and J. Serre, Impurity bands and band tails in accumulation and inversion layers 196 (1988) 346
G.M. Kramer and R.F. Wallis, Theory of electronic impurity states associated with primed subbands of inversion layers in silicon MOSFETs 196 (1988) 355
U. Kunze, Tunneling study of mixed electric and magnetic subbands on Si(001) surfaces 196 (1988) 374
A.J. Kent, V.W. Rampton, M.I. Newton, P.J.A. Carter, G.A. Hardy, P. Hawker, P.A. Russell and L.J. Challis, Magnetic field dependence of the phonon scattering and phonon emission by a 2DEG in a Si MOSFET 196 (1988) 410
V.B. Shikin and I. Nachev, Edge electron states in charged two-dimensional systems 196 (1988) 494
J.P. Kotthaus, W. Hansen, H. Pohlmann, M. Wassermeier and K. Ploog, Intersubband resonances in quasi-one-dimensional channels 196 (1988) 600
A. Zrenner, F. Koch and K. Ploog, Subband physics for a "realistic" δ-doping layer 196 (1988) 671

C.H. Perry, K.S. Lee, W. Zhou, J.M. Worlock, A. Zrenner, F. Koch and K. Ploog, Magneto-optical studies of a silicon delta-doping layer in n-GaAs 196 (1988) 677

Surface phonons

A.J. Kent, V.W. Rampton, M.I. Newton, P.J.A. Carter, G.A. Hardy, P. Hawker, P.A. Russell and L.J. Challis, Magnetic field dependence of the phonon scattering and phonon emission by a 2DEG in a Si MOSFET 196 (1988) 410
M. Babiker, M.P. Chamberlain, A. Ghosal and B.K. Ridley, A new resonance phenomenon associated with electron transitions in superlattices and single quantum wells 196 (1988) 422
J.P. Eisenstein, A.C. Gossard and V. Narayanamurti, Thermal conductance magneto-oscillations and electron–phonon coupling in GaAs/AlGaAs heterostructures 196 (1988) 445
M.A. Brummell, D.R. Leadley, R.J. Nicholas, J.J. Harris and C.T. Foxon, Competition between LO and TO phonon scattering in GaAs/GaAlAs heterojunctions 196 (1988) 451
M.H. Degani and O. Hipólito, Electron–interface-phonon interaction in GaAs/AlAs and InAs/GaSb heterojunctions 196 (1988) 459

Surface plasmons

M.H. Degani and O. Hipólito, Electron–interface-phonon interaction in GaAs/AlAs and InAs/GaSb heterojunctions 196 (1988) 459
J.K. Jain and S. Das Sarma, Elementary collective excitations in multilayered two-dimensional systems 196 (1988) 466
G.F. Giuliani, Plasmon mechanism for superconductivity in semiconducting heterostructures: the effect of acoustic plasmons 196 (1988) 476
P. Hawrylak, G. Eliasson and J.J. Quinn, Electron self-energy, effective mass and lifetime in a layered electron gas 196 (1988) 482
R.Q. Yang, X.J. Lu, X.L. Lei, L.M. Xie and C.H. Tsai, Density correlation function of a superlattice with wave function overlap 196 (1988) 487

Surface roughness

J. Hegarty and M.D. Sturge, Exciton localisation in quantum well structures 196 (1988) 555

Surface states

V.B. Shikin and I. Nachev, Edge electron states in charged two-dimensional systems 196 (1988) 494

Surface thermodynamics

H.-W. Jiang, M.A. Stan and A.J. Dahm, Phase diagrams and melting in a screened two-dimensional system: electrons on helium films 196 (1988) 1
M. Saitoh, Melting and transport properties of two-dimensional Wigner crystals on liquid He 196 (1988) 8
D.C. Glattli, E.Y. Andrei and F.I.B. Williams, Specific and latent heat of the 2D electron solid 196 (1988) 17

Tunneling

R. Lassnig, J. Smoliner, W. Boxleitner and E. Gornik, Tunneling study of GaAs/GaAlAs heterostructures 196 (1988) 367
U. Kunze, Tunneling study of mixed electric and magnetic subbands on Si(001) surfaces 196 (1988) 374
B. Movaghar, J. Leo and A. MacKinnon, Elastic and inelastic tunneling in multiple quantum well structures 196 (1988) 381
R. Sauer, T.D. Harris and W.T. Tsang, Photoluminescence and photoluminescence excitation study of electron–hole tunneling in $In_{0.53}Ga_{0.47}As$/InP coupled-single quantum wells 196 (1988) 388
P.J. Price, Tunneling in AlGaAs by Γ–X scattering 196 (1988) 394
C.A. Payling, E.S. Alves, L. Eaves, T.J. Foster, M. Henini, O.H. Hughes, P.E. Simmonds, F.W. Sheard, G.A. Toombs and J.C. Portal, Evidence for sequential tunnelling and charge build-up in double barrier resonant tunnelling devices 196 (1988) 404
R.Q. Yang, X.J. Lu, X.L. Lei, L.M. Xie and C.H. Tsai, Density correlation function of a superlattice with wave function overlap 196 (1988) 487
H. Akera, S. Wakahara and T. Ando, Connection rule of envelope functions at heterointerface 196 (1988) 694

Zinc selenide

A.V. Nurmikko, Quasi-two-dimensional excitons in selected II–VI compound semiconductor superlattices: the case of a small valence band offset 196 (1988) 632